

#### SAFETY DATA SHEET (SDS)

Section 1. Identification			
Product identifier LABFAST VOC EXEMPT, PART A			
Other means of identification LFV-A			
Recommended use and restrictions on use Floor coating			
Initial supplier identifier LABSURFACE 2250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1		LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1	
	Tél. (450) 966-9000		
Emergency telephone number/restriction on use		Canada – Handling (450) 966-9000 8h-17h	
		Canada – Transport CANUTEC Number 24 hours 613-996-6666	
Section 2. Hazard identification			

## Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 2)

Skin irritation (Category 2)

Sensitization – Skin (Category 1)

Eye irritation (Category 2A)

Carcinogenicity (Category 2)

Reproductive toxicity (Category 2)

Hazardous to the aquatic environment – Chronic (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







#### Danger

H225 Extremely flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None Section 3. Composition/information on ingredients **CAS** number or other Chemical name (common name/synonyms) **Concentration (%)** Aspartic Acid, N,N'-[methylenebis(2-methyl-4,1-cyclohexanediyl)]bis-136210-32-7 30-60 1,1',4,4'-tetraethyl ester Aspartic acid, N,N'-(methylenedi-4,1-cyclohexanediyl)bis-,1,1',4,4'-136210-30-5 30-60 tetraethvl ester Mix 4-Chlorobenzotrifluoride & tert-Butyl acetate 7-13 98-56-6/540-88-5

<sup>\*</sup> Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and	keep comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off		
	contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do.		
Continue rinsing. If eye irritation persists: Get medical attention.			
Most important symptoms and effects (acute or delayed) Causes skin irritation. Causes serious eye irritation.			
In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-fighting measures			

# Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

# Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

#### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

## Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

## Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

## Section 7. Handling and storage

#### Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to

## Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

# Section 8. Exposure controls/Personal protection

# Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 540-88-5 ACGIH – TLV-TWA 200 ppm; DUST ACGIH – TLV-TWA 1 mg/m<sup>3</sup> & PEL-TWA 5 mg/m<sup>3</sup> (respirable fraction) & 15 mg/m $^3$  (total dust);

## **Appropriate engineering controls**

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



SURFACE			
Section 9. Physical ar	nd chemical properties		
Physical state Liquid	pH Not available		
Colour Clear	Kinematic viscosity Not available		
Odour Characteristic	Solubility Insoluble		
Melting/freezing point Not available	Partition coefficient - n-octanol/water (log) Not available		
Initial boiling point/ initial/range Not available	Vapour pressure Not available		
Flammability Extremely flammable liquid and vapor.	Density/relative density Not available		
Upper and lower flammability/explosive limits Not available	Relative vapour density Heavier than air		
<b>Flash point</b> 4°C closed cup	Particle characteristics Not available		
Auto-ignition temperature Not available	VOC Not available		
<b>Decomposition temperature</b> Not available	Other None known		
Section 10. Stability and reactivity			
Reactivity			
Does not react under the recommended storage and handling conditions prescribed.			
Chemical stability			
Stable under the recommended storage and handling conditions prescribed.			
Possibility of hazardous reactions			
Keep away from heat, hot surfaces, sparks, open flames and other ignition	on sources. No smoking.		

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials

Conditions to avoid (static discharge, shock or vibration)

Oxidizing materials; etc.

Hazardous decomposition products

None known

# Section 11. Toxicological information

# Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

# Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing. Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

# Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

# Numerical measures of toxicity (ATE; LD<sub>50</sub> & LC<sub>50</sub>)

CAS 98-56-6 LD50 Oral - Rat - 5546 mg/kg; CAS 540-88-5 LD50 Oral - Rat - 4100 mg/kg;

ATE not available in this document.

# Section 12. Ecological information

**Ecotoxicity (aquatic and terrestrial information)** No data available for the product.

Persistence and degradability No data available

**Bioaccumulative potential** No data available

Mobility in soil No data available

**Other adverse effects** Harmful to aquatic life with long lasting effects.

#### Section 13. Disposal considerations

# Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

# **Section 14. Transport information**

## UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN1263; PAINT; Class 3; PG II

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN1263; PAINT; Class 3; PG II

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN1263; PAINT; Class 3; PG II

**Special precautions (transport/conveyance)** May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other) None



Section 15. Regulatory information		
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accord		
	with the hazard criteria of the Hazardous Products Regulations (HPR).	
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL	

# Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

National Fire Protection Association (NFPA):

HEALTH: 1 FLAMMABILITY: 3 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Proposition 65: WARNING This product contains 4-Chlorobenzotrifluoride (CAS 98-56-6) known to the State of California to cause cancer or other reproductive harm.

other reproductive harm.			
Section 16. Other information			
Date of the latest revision of the safety data sheet   August 08, 2024 version 4 (NSS ENTREPRISE INC.)			
Corrections	New template		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be modified to improve the properties of the coatings. The information and data appearing in this reference document may not be up to date, despite the reference date.



## SAFETY DATA SHEET (SDS)

SHIEIT DATH SHEET (SDS)			
Section 1. Identification			
Product identifier	Product identifier LABFAST VOC EXEMPT, PART B		
Other means of identification LFV-B			
Recommended use and restrictions on use Floor coating			
Initial supplier identifier LABSURFACE 2250.		LABSURFACE 2250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1	
Tél. (450) 966-9000		Tél. (450) 966-9000	
Emergency telephone number/restriction on use		per/restriction on use Canada – Handling (450) 966-9000 8h-17h	
		Canada – Transport CANUTEC Number 24 hours 613-996-6666	
Section 2. Hazard identification			

# Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 2)

Skin irritation (Category 2)

Sensitization – Skin (Category 1)

Eye irritation (Category 2A)

Acute toxicity inhalation (Category 4)

Respiratory sensitization (category 1)

Specific target organ toxicity – Single exposure (Category 3)

Carcinogenicity (Category 2)

Reproductive toxicity (Category 2)

Hazardous to the aquatic environment – Chronic (Category 3)

# Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







#### Danger

H225 Extremely flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear gloves/protective clothing/eye protection/face protection. P284 Wear respiratory protection. P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P342 + P311 If experiencing respiratory symptoms: Call a doctor. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 + P233 +P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

# Other hazards known None

Section 3. Composition/information on ingredients			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)	
Homopolymer of HDI	28182-81-2	60-80	
Hexamethylene diisocyanate	822-06-0	< 1	
4-Chlorobenzotrifluoride	98-56-6	15-40	
tert-Butyl acetate	540-88-5	10-30	

<sup>\*</sup> Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and	keep comfortable for breathing. Call a doctor if you feel unwell.	
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
	rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off		
	contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do.		
Continue rinsing. If eye irritation persists: Get medical attention.			
Most important symptoms and effects (acute or delayed)  Causes skin irritation. Causes serious eye irritation.			
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.			
Section 5. Fire-fighting measures			

# Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

## Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

#### Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

## Section 6. Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

## Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

## Section 7. Handling and storage

#### Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to

## Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

# Section 8. Exposure controls/Personal protection

# Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: CAS 540-88-5 ACGIH – TLV-TWA 200 ppm; DUST ACGIH – TLV-TWA 1 mg/m<sup>3</sup> & PEL-TWA 5 mg/m<sup>3</sup> (respirable fraction) & 15 mg/m<sup>3</sup> (total dust); CAS 822-06-0 ACGIH – TLV-TWA 0.005 ppm;

#### **Appropriate engineering controls**

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

## Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



	Section 9. Physica	al and chemical properties	
Physical state	Liquid	pH Not available	
Colour Clear		Kinematic viscosity Not available	
Odour Characteristic		Solubility Insoluble	
Melting/freezing	point Not available	Partition coefficient - n-octanol/water (log) Not available	
Initial boiling point/ initial/range Not available		Vapour pressure Not available	
Flammability	Extremely flammable liquid and vapor.	Density/relative density Not available	
Upper and lower flammability/explosive limits Not available		Relative vapour density Heavier than air	
Flash point 4	°C closed cup	Particle characteristics Not available	
Auto-ignition temperature Not available		VOC Not available	
Decomposition temperature Not available		Other None known	
Section 10. Stability and reactivity			
Reactivity		•	

#### Reactivity

Does not react under the recommended storage and handling conditions prescribed.

#### Chemical stability

Stable under the recommended storage and handling conditions prescribed.

#### Possibility of hazardous reactions

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Conditions to avoid (static discharge, shock or vibration)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## **Incompatible materials**

Oxidizing materials; etc.

## **Hazardous decomposition products**

None known

## Section 11. Toxicological information

# Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory irritation. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

# Symptoms related to the physical, chemical and toxicological characteristics

Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing. Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

# Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – Possible; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.

## Numerical measures of toxicity (ATE; LD<sub>50</sub> & LC<sub>50</sub>)

CAS 98-56-6 LD50 Oral - Rat - 5546 mg/kg; CAS 540-88-5 LD50 Oral - Rat - 4100 mg/kg; CAS 28182-81-2 LC50 Inhalation - Rat - 4 h - 400-425 mg/m³; CAS 822-06-0 LC50 Inhalation - Rat - 4 h - 310-350 mg/m³;

ATE not available in this document.

## Section 12. Ecological information

**Ecotoxicity (aquatic and terrestrial information)** No data available for the product.

Persistence and degradability No data available

**Bioaccumulative potential** No data available

Mobility in soil No data available

**Other adverse effects** Harmful to aquatic life with long lasting effects.

# **Section 13. Disposal considerations**

#### Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional or national regulations.

# Section 14. Transport information

#### UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN1263; PAINT; Class 3; PG II

# UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN1263; PAINT; Class 3; PG II

## UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN1263; PAINT; Class 3; PG II

**Special precautions (transport/conveyance)** May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other) None



Section 15. Regulatory information		
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accord		
	with the hazard criteria of the Hazardous Products Regulations (HPR).	
<b>Environmental Canadian regulations specifics</b>	Refer to Section 3 for ingredient(s) of the DSL	

## Safety/health/environmental outside regulations specifics

United States OSHA information: This product is regulated according to OSHA (29 CFR).

United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3.

National Fire Protection Association (NFPA):

HEALTH: 1 FLAMMABILITY: 3 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3.

HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Proposition 65: **WARNING** This product contains 4-Chlorobenzotrifluoride (CAS 98-56-6) known to the State of California to cause cancer or other reproductive harm.

other reproductive harm.			
Section 16. Other information			
Date of the lates	st revision of the safety data sheet August 08, 2024 version 4 (NSS ENTREPRISE INC.)		
Corrections	New template		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		

DISCLAMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be modified to improve the properties of the coatings. The information and data appearing in this reference document may not be up to date, despite the reference date.